

Note: This article is for Windows 10 compatibility.

There are six steps to complete this task:

- 1. Open the Registry Editor.
- 2. <u>Navigate to the System registry subkey:</u> <u>HKEY\_LOCAL\_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\P</u> <u>olicies\System</u>
- 3. <u>Create a new EnableLinkedConnections subkey.</u>
- 4. Modify the EnableLinkedConnections value.
- 5. Exit Registry Editor.
- 6. <u>Restart the computer.</u>



# **Standard Guide**

## **Step 1. Open the Registry Editor.**

Press **Start (Windows logo)** on the **Taskbar** or press **Windows logo** key + **S** to start a **Search**.



Type **regedit** and press **Enter**. (Note: Depending on the configuration, the search field may not be visible until typing begins.)



Press **Yes** to allow changes to be made. The **Registry Editor** window will appear.

🖹 Registry Editor — 🗆 🗙					
File Edit View Favorites Help					
Computer					
Computer  HKEY_CLASSES_ROOT  HKEY_CURRENT_USER  HKEY_LOCAL_MACHINE  HKEY_LSERS  HKEY_CURRENT_CONFIG	Name	Туре	Data		
	<			>	



## Step 2. Navigate to the System registry subkey.

Paste or type the following into the **Address Bar**. (Note: If **Address Bar** is not visible, select **View** and **Address Bar** to make it visible.)

HKEY\_LOCAL\_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System



#### Step 3. Create a new EnableLinkedConnections subkey.

Right-click **System**, point to **New**, and select **DWORD Value**.





A new subkey appears in the **System** folder.

✓ System	😻 shutdownwitho	REG_DWORD	0x00000001 (1)
Audit	BupportFullTrust	REG_DWORD	0x0000001 (1)
> UIPI	🕫 SupportUwpStar	REG_DWORD	0x0000001 (1)
PowerEfficienc	🕫 undockwithoutl	REG_DWORD	0x00000001 (1)
> PrecisionTouc	🔀 ValidateAdminC	REG_DWORD	0x00000000 (0)
PreviewHandlı 🗸	왮 Value #1	REG_DWORD	0x00000000 (0)

Type **EnableLinkedConnections** and press the **Enter** key.

V System	shutdownwitho REG_DWORD	0x00000001 (1)
Audit	8 SupportFullTrust REG_DWORD	0x0000001 (1)
	BupportUwpStar REG_DWORD	0x00000001 (1)
- PowerEfficience	Bundockwithoutl REG_DWORD	0x00000001 (1)
> PrecisionTouc	WalidateAdminC REG_DWORD	0x00000000 (0)
PreviewHandlı 🗸	EnableLinkedConnections DRD	0x00000000 (0)

### **Step 4. Modify the EnableLinkedConnections value.**

Right-click EnableLinkedConnections and select Modify...



In the Value data field in the Edit DWORD Value window, type 1, then press OK.

	Edit DWORD (32-bit) Value	×
47	Value name: EnableLinkedConnections Value data:	Base Hexadecimal Decimal OK Cancel



# **Step 5. Exit Registry Editor.**

Exit the **Registry Editor** by pressing the **X (Close)** button.

	Registr	y Editor	i.				-	
File	Edit	View	Favorites	Help		Windows) Currently		Suntana A
Com	iputer	HKEY_L	UCAL_IMAC	HINE (SUP	T WARE \WICTOSON	t(windows(Currentve	ersion (Policies)	System
		~	Policies	^	Name	Туре	Data	^
ActiveDesk		ab (Default)	REG ST	halue	not cet)			

## **Step 6. Restart the computer.**

In the **Taskbar** press **Start (Windows logo)**, press **Power**, and select **Restart**. (Note: Save and close any other applications first.)